

ESC SDK相关注意事项

一、蓝牙

1.1 开启蓝牙

1.2 开启GPS

1.3 权限

1.4 代码授予相关权限

一、蓝牙

1.1 开启蓝牙



1.2开启GPS



1.3权限



1.4代码授予相关权限

▼ AndroidManifest.xml中配置

HTML |

```
1 <uses-permission android:name="android.permission.ACCESS_FINE_LOCATION" />
2 <uses-permission android:name="android.permission.ACCESS_COARSE_LOCATION" />
3 <uses-permission android:name="android.permission.BLUETOOTH" />
4 <uses-permission android:name="android.permission.BLUETOOTH_ADMIN" />
5 <uses-permission android:name="android.permission.BLUETOOTH_CONNECT" />
6 <uses-permission android:name="android.permission.BLUETOOTH_ADVERTISE" />
7 <uses-permission android:name="android.permission.BLUETOOTH_SCAN" />
```

▼ 在代码中动态配置权限

Kotlin |

```
1 RxPermissions(this).request(
2     Manifest.permission.BLUETOOTH,
3     Manifest.permission.ACCESS_FINE_LOCATION,
4     Manifest.permission.ACCESS_COARSE_LOCATION,
5     Manifest.permission.BLUETOOTH_SCAN,
6     Manifest.permission.BLUETOOTH_CONNECT
7 )
8 .subscribe {
9     if (it) {
10
11     }
12 }
```